Seeley Lake Sewer District PUBLIC HEARING AGENDA

DATE: Thursday July 28, 2022

PLACE: The Barn, 2920 Highway 83, Seeley Lake & Virtual Meeting

Computer: https://us02web.zoom.us/j/82671415251?pwd=MnB4enFqZ2swcTR2YjRnQjEvOUVRdz09

Telephone: 1 669 900 6833

Meeting ID: 826 7141 5251

Password: 821600

TIME: 6:00 p.m.

ROLL CALL

Tom Morris, President	O	05/2024
Pat Goodover, Vice President	O	05/2026
Jason Gilpin, Director	O	05/2024
Cheri Thompson, Director	O	05/2026
Troy Spence, Director	O	05/2026
Foliaity Down Connotany	\circ	

Felicity Derry, Secretary O

1. OPENING: Scheduled for 6:00 PM at the Barn & Via Zoom

2. APPROVAL OF AGENDA:

3. PRESIDENT'S COMMENTS:

4. PUBLIC COMMENT: On Items not on the Agenda of the Meeting and within the Jurisdiction of the

Sewer District [MCA 2-3-103 (1)a]

5. NEW BUSINESS: a} Report of Written Protests received by July 26, 2022 Deadline - Discussion

b} Resolution#07282022 Setting Assessments – Adopt/Amend/Reject

6. ADJOURNMENT:

REGULAR BOARD MEETING AGENDA

DATE: Thursday July 28, 2022

PLACE: The Barn, 2920 Highway 83 & Via Zoom (Meeting ID & Password are the same as above)

TIME: Immediately following the Public Hearing

1. OPENING:

2. APPROVAL OF AGENDA:

3. PRESIDENT'S COMMENTS:

4. PUBLIC COMMENT: On Items not on the Agenda of the Meeting and within the Jurisdiction of the

Sewer District [MCA 2-3-103 (1)a]

5. CORRESPONDENCE: None

6. MINUTES: June 16, 2022 - *Action*

7. FINANCIAL REPORTS: a} Invoices – Action

b} May 2022

8. MANAGER'S REPORT: Status Report

9. OLD BUSINESS: a} Action Plan for 2021-2022 Committee Reports

i. FEMA – Discussion/Action

ii. Army Corps of Engineers - Discussion/Action

b) Mission Update – Discussion/Action c) eDNA Sampling – Discussion/Action

d} Test Result Map - Discussion

10. NEW BUSINESS:

a) ME Lab Testing – Discussion/Action

b} Committee Summary Report - Discussion

i. Additional Monitoring Wells by WET - Discussion

11. NEXT SCHEDULED MEETING: August 18, 2022

12. AGENDA ITEMS FOR NEXT SCHEDULED MEETING:

13. ADJOURNMENT